


# Prototool Inox Steel Coolant Hose

for high pressure coolant












High quality coolant hose made of stainless steel for  
all systems with high coolant pressure

All elements can be individually adjusted through nuts

No forcing away of the coolant hose through  
pressure, vibration or chippings












**VAN CUTSEM tools**  
*Quality tools for metalworking*

Item No.	Description			
P 001-xxxx	<b>Set 1:</b> Consisting of:	Coolant hose total length 365 mm 1 x Nozzle 1 x Adapter piece 10 x Spacer 25 mm 2 x Spacer 40 mm		
P 002-xxxx	<b>Set 2:</b> Consisting of:	Coolant hose total length 225 mm 1 x Nozzle 1 x Adapter piece 6 x Spacer 25 mm 1 x Spacer 40 mm		
P 003-xxxx	<b>Set 3:</b> Consisting of:	Coolant hose total length 150 mm 1 x Nozzle 1 x Adapter piece 3 x Spacer 25 mm 1 x Spacer 40 mm		
<b>When ordering a set, please indicate the nozzle and the adapter</b>				
P 004-20 P 004-35 P 004-45 P 004-60	Nozzle: diameter 2,0 mm Nozzle: diameter 3,5 mm Nozzle: diameter 4,5 mm Nozzle: diameter 6,0 mm			
P 004-4040	Nozzle: 4 mm / 40 degree			
P 004-0020	Nozzle: Universal - Cylindrical 20 mm long			
P 004-0530	Nozzle: 90 degrees with 5 holes			
P 004-0414	Flat nozzle: 14 mm			
P 005-25	25 mm spacer			
P 005-40	40 mm spacer			
P 005-70	70 mm spacer			
P 020-127	2-way splitter 2 x 6 mm out			
P 006-18 P 006-14 P 006-38 P 006-10	Adapter piece for G 1/8 Adapter piece for G 1/4 Adapter piece for G 3/8 Adapter piece for M10x1			
P 007-14 P 007-18 P 007-38 P 007-12	Ball valve G 1/4 i - G 1/4 o Ball valve G 1/4 i - G 1/8 o Ball valve G 1/4 i - G 3/8 o Ball valve G 1/4 i - G 1/2 o		Nickel plated brass Nickel plated brass Nickel plated brass Nickel plated brass	



# Inox Steel Coolant Hose

# 8,8 mm




Item No.	Description			
P 011-xxxx	<b>Set 1:</b> Consisting of:	Coolant hose total length 370 mm  1 x Nozzle  1 x Adapter piece  8 x Spacer 37 mm  1 x Spacer 80 mm		
P 012-xxxx	<b>Set 2:</b> Consisting of:	Coolant hose total length 230 mm  1 x Nozzle  1 x Adapter piece  6 x Spacer 37 mm		
<b>When ordering a set, please indicate the nozzle and the adapter</b>				
P 014-60 P 014-88		Nozzle: diameter 6 mm  Nozzle: diameter 8,8 mm		
P 014-6040		Nozzle: 4 mm / 40 degree		
P 0014-0050		Nozzle: Universal - Cylindrical 50 mm long		
P 015-37		Spacer 37 mm		
P 015-80		Spacer 80 mm		
P 020-129		2-way splitter 2 x 6 mm out		
P 016-14 P 016-38		Adapter piece for G ¼  Adapter piece for G ¾		
P 007-14 P 007-18 P 007-38 P 007-12		Ball valve G ¼ i - G ¼ o Ball valve G ¼ i - G ⅜ o Ball valve G ¼ i - G ⅝ o Ball valve G ¼ i - G ½ o	Nickel plated brass Nickel plated brass Nickel plated brass Nickel plated brass	

# Adapters and supplements





## Adapter nickel-plated brass machine side

Item No.	Description			
P009-1414 P009-1818	Elbow coupling G ¼ i - G ¼ o Elbow coupling G ⅜ i - G ⅜ o	Nickel plated brass Nickel plated brass		
P008-1214 P008-1238	Adapter piece G ½ o - G ¼ i Adapter piece G ½ o - G ⅜ i	Nickel plated brass Nickel plated brass		

## Adapters for plastic coolant hoses

Item No.	Description			
P 004-14L P 004-14A	6 mm 6 mm Adapter with ball on G 1/4 Adapter with ball on G 1/4	Dia. 12,65 mm Dia. 12,30 mm		
P 014-14L P 014-14A	8,8 mm 8,8 mm Adapter with ball on G 1/4 Adapter with ball on G 1/4	Dia. 12,65 mm Dia. 12,30 mm		
P 014-12L	8,8 mm Adapter with ball on G 1/2	Dia. 21,60 mm		

## Examples for nozzles and adapters

Nozzle and adapter	Adapters for plastic coolant hoses
 <p>Adapter nozzle 6 mm</p> <p>Adapter Nozzle 4 mm / 40 Grad</p>	
<p>Adapter - spacer - nozzle</p> 	<p>6 mm to G 1/4</p> 
	<p>8,8 mm to G 1/4</p>

# Prototool Inox Steel Coolant Hose

## Examples

