


PARAT Inox Steel Coolant Hose

for high pressure coolant

High quality coolant hose made of stainless steel for
all systems with high coolant pressure

All elements can be individually adjusted through nuts

No forcing away of the coolant hose through
pressure, vibration or chippings












PARAT Inox Steel Coolant Hose

6 mm

Item No.	Description		
P 001-xxxx	Set 1: Consisting of:	Coolant hose total length 365 mm 1 x Nozzle 1 x Adapter piece 10 x Spacer 25 mm 2 x Spacer 40 mm	
P 002-xxxx	Set 2: Consisting of:	Coolant hose total length 225 mm 1 x Nozzle 1 x Adapter piece 6 x Spacer 25 mm 1 x Spacer 40 mm	
P 003-xxxx	Set 3: Consisting of:	Coolant hose total length 150 mm 1 x Nozzle 1 x Adapter piece 3 x Spacer 25 mm 1 x Spacer 40 mm	
When ordering a set, please indicate the nozzle and the adapter			
P 004-20 P 004-35 P 004-45 P 004-60		Nozzle: diameter 2,0 mm Nozzle: diameter 3,5 mm Nozzle: diameter 4,5 mm Nozzle: diameter 6,0 mm	
P 004-4040		Nozzle: 4 mm / 40 degree	
P 004-0020		Nozzle: Universal - Cylindrical 20 mm long	
P 004-0530		Nozzle: 90 degrees with 5 holes	
P 004-0414		Flat nozzle: 14 mm	
P 005-25		25 mm spacer	
P 005-40		40 mm spacer	
P 005-70		70 mm spacer	
P 020-127		2-way splitter 2 x 6 mm out	
P 006-18 P 006-14 P 006-38 P 006-10		Adapter piece for G 1/8 Adapter piece for G 1/4 Adapter piece for G 3/8 Adapter piece for M10x1	
P 007-14 P 007-18 P 007-38 P 007-12		Ball valve G 1/4 i - G 1/4 o Ball valve G 1/4 i - G 1/8 o Ball valve G 1/4 i - G 3/8 o Ball valve G 1/4 i - G 1/2 o	<div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <p>Nickel plated brass</p> <p>Nickel plated brass</p> <p>Nickel plated brass</p> <p>Nickel plated brass</p> </div>  </div>



PARAT Inox Steel Coolant Hose

8,8 mm




Item No.	Description			
P 011-xxxx	Set 1: Consisting of:	Coolant hose total length 370 mm 1 x Nozzle 1 x Adapter piece 8 x Spacer 37 mm 1 x Spacer 80 mm		
P 012-xxxx	Set 2: Consisting of:	Coolant hose total length 230 mm 1 x Nozzle 1 x Adapter piece 6 x Spacer 37 mm		
When ordering a set, please indicate the nozzle and the adapter				
P 014-60 P 014-88		Nozzle: diameter 6 mm Nozzle: diameter 8,8 mm		
P 014-6040		Nozzle: 4 mm / 40 degree		
P 0014-0050		Nozzle: Universal - Cylindrical 50 mm long		
P 015-37		Spacer 37 mm		
P 015-80		Spacer 80 mm		
P 020-129		2-way splitter 2 x 6 mm out		
P 016-14 P 016-38		Adapter piece for G ¼ Adapter piece for G ⅜		
P 007-14 P 007-18 P 007-38 P 007-12		Ball valve G ¼ i - G ¼ o Ball valve G ¼ i - G ⅝ o Ball valve G ¼ i - G ⅜ o Ball valve G ¼ i - G ½ o	Nickel plated brass Nickel plated brass Nickel plated brass Nickel plated brass	

Adapters and supplements





Adapter nickel-plated brass machine side

Item No.	Description		
P009-1414 P009-1818	Elbow coupling G ¼ i - G ¼ o Elbow coupling G ⅜ i - G ⅜ o	Nickel plated brass Nickel plated brass	
P008-1214 P008-1238	Adapter piece G ½ o - G ¼ i Adapter piece G ½ o - G ⅜ i	Nickel plated brass Nickel plated brass	

Adapters for plastic coolant hoses

Item No.	Description		
P 004-14L P 004-14A	6 mm 6 mm Adapter with ball on G 1/4 Adapter with ball on G 1/4	Dia. 12,65 mm Dia. 12,30 mm	
P 014-14L P 014-14A	8,8 mm 8,8 mm Adapter with ball on G 1/4 Adapter with ball on G 1/4	Dia. 12,65 mm Dia. 12,30 mm	
P 014-12L	8,8 mm Adapter with ball on G 1/2	Dia. 21,60 mm	

Examples for nozzles and adapters

Nozzle and adapter	Adapters for plastic coolant hoses
 <p>Adapter nozzle 6 mm</p> <p>Adapter Nozzle 4 mm / 40 Grad</p>	
<p>Adapter - spacer - nozzle</p> 	<p>6 mm to G 1/4</p> 
	<p>8,8 mm to G 1/4</p>

PARAT Inox Steel Coolant Hose

Examples

