


D VHM-Spiralbohrer
Speeddrill+ Universal, DIN
6537K, kurz 3xD

E Solid carbide stub drills
Speeddrill+ Universal, DIN
6537K, short series 3xD

I Punte elicoidali MDI
Speeddrill+ Universali, DIN
6537K, serie corta 3xD

NEW



ALTINDUR

d1 _{h7} mm	d2 _{h6} mm	l1 mm	l2 mm	Z	Code 6728 Art.-Nr.
0,75	4,00	45	7	2	0672800075100
0,85	4,00	45	7	2	0672800085100
0,90	4,00	45	7	2	0672800090100
0,95	4,00	45	7	2	0672800095100
1,00	4,00	45	7	2	0672800100100
1,02	4,00	45	7	2	0672800102100
1,10	4,00	45	7	2	0672800110100
1,20	4,00	45	7	2	0672800120100
1,25	4,00	45	7	2	0672800125100
1,27	4,00	45	7	2	0672800127100
1,28	4,00	45	7	2	0672800128100
1,30	4,00	45	7	2	0672800130100
1,40	4,00	45	7	2	0672800140100
1,45	4,00	55	14	2	0672800145100
1,50	4,00	55	14	2	0672800150100
1,55	4,00	55	14	2	0672800155100
1,60	4,00	55	14	2	0672800160100
1,66	4,00	55	14	2	0672800166100
1,70	4,00	55	14	2	0672800170100
1,75	4,00	55	14	2	0672800175100
1,80	4,00	55	14	2	0672800180100



ALTINDUR

d1 _{h7} mm	d2 _{h6} mm	l1 mm	l2 mm	Z	Code 6728 Art.-Nr.
1,83	4,00	55	14	2	0672800183100
1,85	4,00	55	14	2	0672800185100
1,90	4,00	55	14	2	0672800190100
2,00	4,00	55	20	2	0672800200100
2,02	4,00	55	20	2	0672800202100
2,10	4,00	55	20	2	0672800210100
2,20	4,00	55	20	2	0672800220100
2,30	4,00	55	20	2	0672800230100
2,40	4,00	55	20	2	0672800240100
2,50	4,00	55	20	2	0672800250100
2,52	4,00	55	20	2	0672800252100
2,60	4,00	55	20	2	0672800260100
2,70	4,00	55	20	2	0672800270100
2,80	4,00	55	20	2	0672800280100
2,90	4,00	55	20	2	0672800290100
3,00	6,00	62	20	2	0672800300100
3,02	6,00	62	20	2	0672800302100
3,10	6,00	62	20	2	0672800310100
3,20	6,00	62	20	2	0672800320100
3,25	6,00	62	20	2	0672800325100
3,30	6,00	62	20	2	0672800330100

Optional ohne Aufpreis auch mit [DIN 6535-HB] lieferbar. / Also available with Weldon-shank [DIN 6535-HB] without extra charge. / Anche disponibili con attacco Weldon [DIN 6535-HB] senza prezzo aggiuntivo. d1 ≥ 3,0 mm | d2 ≥ 6,0 mm.

Details zum Sonderanschliff: Siehe Kapitel „Technische Informationen“ / Details on the special point shape: See chapter „Technical information“ / Dettagli sulla affilatura speciale: Capitolo „Informazioni tecniche“

VHM-Bohrer
Solid carbide drills
Punte elicoidali in metallo duro integrale



ALTINDUR

d1 _{h7} mm	d2 _{h6} mm	l1 mm	l2 mm	Z	Code 6728 Art.-Nr.
3,40	6,00	62	20	2	0672800340100
3,50	6,00	62	20	2	0672800350100
3,52	6,00	62	20	2	0672800352100
3,60	6,00	62	20	2	0672800360100
3,70	6,00	62	20	2	0672800370100
3,80	6,00	66	24	2	0672800380100
3,90	6,00	66	24	2	0672800390100
4,00	6,00	66	24	2	0672800400100
4,02	6,00	66	24	2	0672800402100
4,10	6,00	66	24	2	0672800410100
4,20	6,00	66	24	2	0672800420100
4,30	6,00	66	24	2	0672800430100
4,40	6,00	66	24	2	0672800440100
4,50	6,00	66	24	2	0672800450100
4,52	6,00	66	24	2	0672800452100
4,60	6,00	66	24	2	0672800460100
4,65	6,00	66	24	2	0672800465100
4,70	6,00	66	24	2	0672800470100
4,80	6,00	66	28	2	0672800480100
4,90	6,00	66	28	2	0672800490100
5,00	6,00	66	28	2	0672800500100
5,02	6,00	66	28	2	0672800502100
5,10	6,00	66	28	2	0672800510100
5,20	6,00	66	28	2	0672800520100
5,30	6,00	66	28	2	0672800530100
5,40	6,00	66	28	2	0672800540100
5,50	6,00	66	28	2	0672800550100
5,52	6,00	66	28	2	0672800552100
5,55	6,00	66	28	2	0672800555100
5,60	6,00	66	28	2	0672800560100
5,65	6,00	66	28	2	0672800565100
5,70	6,00	66	28	2	0672800570100
5,80	6,00	66	28	2	0672800580100
5,90	6,00	66	28	2	0672800590100
6,00	6,00	66	28	2	0672800600100
6,02	6,00	66	28	2	0672800602100
6,10	8,00	79	34	2	0672800610100
6,20	8,00	79	34	2	0672800620100
6,30	8,00	79	34	2	0672800630100
6,40	8,00	79	34	2	0672800640100
6,50	8,00	79	34	2	0672800650100
6,52	8,00	79	34	2	0672800652100
6,60	8,00	79	34	2	0672800660100
6,70	8,00	79	34	2	0672800670100
6,80	8,00	79	34	2	0672800680100
6,90	8,00	79	34	2	0672800690100
7,00	8,00	79	34	2	0672800700100
7,02	8,00	79	41	2	0672800702100
7,10	8,00	79	41	2	0672800710100
7,20	8,00	79	41	2	0672800720100
7,30	8,00	79	41	2	0672800730100
7,40	8,00	79	41	2	0672800740100
7,45	8,00	79	41	2	0672800745100
7,50	8,00	79	41	2	0672800750100
7,52	8,00	79	41	2	0672800752100
7,55	8,00	79	41	2	0672800755100



ALTINDUR

d1 _{h7} mm	d2 _{h6} mm	l1 mm	l2 mm	Z	Code 6728 Art.-Nr.
7,60	8,00	79	41	2	0672800760100
7,70	8,00	79	41	2	0672800770100
7,80	8,00	79	41	2	0672800780100
7,90	8,00	79	41	2	0672800790100
8,00	8,00	79	41	2	0672800800100
8,02	8,00	79	41	2	0672800802100
8,10	10,00	89	47	2	0672800810100
8,20	10,00	89	47	2	0672800820100
8,30	10,00	89	47	2	0672800830100
8,40	10,00	89	47	2	0672800840100
8,50	10,00	89	47	2	0672800850100
8,52	10,00	89	47	2	0672800852100
8,60	10,00	89	47	2	0672800860100
8,70	10,00	89	47	2	0672800870100
8,80	10,00	89	47	2	0672800880100
8,90	10,00	89	47	2	0672800890100
9,00	10,00	89	47	2	0672800900100
9,02	10,00	89	47	2	0672800902100
9,10	10,00	89	47	2	0672800910100
9,20	10,00	89	47	2	0672800920100
9,25	10,00	89	47	2	0672800925100
9,30	10,00	89	47	2	0672800930100
9,35	10,00	89	47	2	0672800935100
9,40	10,00	89	47	2	0672800940100
9,50	10,00	89	47	2	0672800950100
9,52	10,00	89	47	2	0672800952100
9,55	10,00	89	47	2	0672800955100
9,60	10,00	89	47	2	0672800960100
9,70	10,00	89	47	2	0672800970100
9,80	10,00	89	47	2	0672800980100
9,90	10,00	89	47	2	0672800990100
10,00	10,00	89	47	2	0672801000100
10,02	10,00	89	47	2	0672801002100
10,10	12,00	102	55	2	0672801010100
10,20	12,00	102	55	2	0672801020100
10,30	12,00	102	55	2	0672801030100
10,40	12,00	102	55	2	0672801040100
10,50	12,00	102	55	2	0672801050100
10,52	12,00	102	55	2	0672801052100
10,60	12,00	102	55	2	0672801060100
10,70	12,00	102	55	2	0672801070100
10,80	12,00	102	55	2	0672801080100
10,90	12,00	102	55	2	0672801090100
11,00	12,00	102	55	2	0672801100100
11,02	12,00	102	55	2	0672801102100
11,10	12,00	102	55	2	0672801110100
11,20	12,00	102	55	2	0672801120100
11,30	12,00	102	55	2	0672801130100
11,35	12,00	102	55	2	0672801135100
11,40	12,00	102	55	2	0672801140100
11,50	12,00	102	55	2	0672801150100
11,52	12,00	102	55	2	0672801152100
11,55	12,00	102	55	2	0672801155100
11,60	12,00	102	55	2	0672801160100
11,70	12,00	102	55	2	0672801170100
11,80	12,00	102	55	2	0672801180100

Optional ohne Aufpreis auch mit Weldon-Schaft [DIN 6535-HB] lieferbar. / Also available with Weldon-shank [DIN 6535-HB] without extra charge. / Anche disponibili con attacco Weldon [DIN 6535-HB] senza prezzo aggiuntivo. d1 ≥ 3,0 mm | d2 ≥ 6,0 mm.

Details zum Sonderanschliff: Siehe Kapitel „Technische Informationen“ / Details on the special point shape: See chapter „Technical Information“ / Dettagli sulla affilatura speciale: Capitolo „Informazioni tecniche“



ALTINDUR

d1 _{h7} mm	d2 _{h6} mm	l1 mm	l2 mm	Z	Code 6728 Art.-Nr.
11,90	12,00	102	55	2	0672801190100
12,00	12,00	102	55	2	0672801200100
12,02	12,00	102	55	2	0672801202100
12,10	14,00	107	60	2	0672801210100
12,20	14,00	107	60	2	0672801220100
12,30	14,00	107	60	2	0672801230100
12,40	14,00	107	60	2	0672801240100
12,50	14,00	107	60	2	0672801250100
12,60	14,00	107	60	2	0672801260100
12,70	14,00	107	60	2	0672801270100
12,80	14,00	107	60	2	0672801280100
12,90	14,00	107	60	2	0672801290100
13,00	14,00	107	60	2	0672801300100
13,02	14,00	107	60	2	0672801302100
13,10	14,00	107	60	2	0672801310100
13,20	14,00	107	60	2	0672801320100
13,25	14,00	107	60	2	0672801325100
13,30	14,00	107	60	2	0672801330100
13,40	14,00	107	60	2	0672801340100
13,50	14,00	107	60	2	0672801350100
13,60	14,00	107	60	2	0672801360100
13,70	14,00	107	60	2	0672801370100
13,80	14,00	107	60	2	0672801380100
13,90	14,00	107	60	2	0672801390100
14,00	14,00	107	60	2	0672801400100
14,02	14,00	107	60	2	0672801402100
14,10	16,00	115	65	2	0672801410100
14,20	16,00	115	65	2	0672801420100
14,30	16,00	115	65	2	0672801430100
14,40	16,00	115	65	2	0672801440100
14,50	16,00	115	65	2	0672801450100
14,60	16,00	115	65	2	0672801460100
14,70	16,00	115	65	2	0672801470100
14,80	16,00	115	65	2	0672801480100
14,90	16,00	115	65	2	0672801490100
15,00	16,00	115	65	2	0672801500100
15,02	16,00	115	65	2	0672801502100
15,10	16,00	115	65	2	0672801510100
15,20	16,00	115	65	2	0672801520100
15,30	16,00	115	65	2	0672801530100
15,35	16,00	115	65	2	0672801535100
15,40	16,00	115	65	2	0672801540100
15,50	16,00	115	65	2	0672801550100
15,60	16,00	115	65	2	0672801560100
15,70	16,00	115	65	2	0672801570100
15,80	16,00	115	65	2	0672801580100



ALTINDUR

d1 _{h7} mm	d2 _{h6} mm	l1 mm	l2 mm	Z	Code 6728 Art.-Nr.
15,90	16,00	115	65	2	0672801590100
16,00	16,00	115	65	2	0672801600100
16,02	16,00	115	65	2	0672801602100
16,10	18,00	123	73	2	0672801610100
16,20	18,00	123	73	2	0672801620100
16,30	18,00	123	73	2	0672801630100
16,40	18,00	123	73	2	0672801640100
16,50	18,00	123	73	2	0672801650100
16,60	18,00	123	73	2	0672801660100
16,70	18,00	123	73	2	0672801670100
16,80	18,00	123	73	2	0672801680100
16,90	18,00	123	73	2	0672801690100
17,00	18,00	123	73	2	0672801700100
17,10	18,00	123	73	2	0672801710100
17,20	18,00	123	73	2	0672801720100
17,30	18,00	123	73	2	0672801730100
17,35	18,00	123	73	2	0672801735100
17,40	18,00	123	73	2	0672801740100
17,50	18,00	123	73	2	0672801750100
17,60	18,00	123	73	2	0672801760100
17,70	18,00	123	73	2	0672801770100
17,80	18,00	123	73	2	0672801780100
17,90	18,00	123	73	2	0672801790100
18,00	18,00	123	73	2	0672801800100
18,10	20,00	131	79	2	0672801810100
18,20	20,00	131	79	2	0672801820100
18,30	20,00	131	79	2	0672801830100
18,40	20,00	131	79	2	0672801840100
18,50	20,00	131	79	2	0672801850100
18,60	20,00	131	79	2	0672801860100
18,70	20,00	131	79	2	0672801870100
18,80	20,00	131	79	2	0672801880100
18,90	20,00	131	79	2	0672801890100
19,00	20,00	131	79	2	0672801900100
19,10	20,00	131	79	2	0672801910100
19,20	20,00	131	79	2	0672801920100
19,30	20,00	131	79	2	0672801930100
19,35	20,00	131	79	2	0672801935100
19,40	20,00	131	79	2	0672801940100
19,50	20,00	131	79	2	0672801950100
19,60	20,00	131	79	2	0672801960100
19,70	20,00	131	79	2	0672801970100
19,80	20,00	131	79	2	0672801980100
19,90	20,00	131	79	2	0672801990100
20,00	20,00	131	79	2	0672802000100



VHM-Bohrer
Solid carbide drills
Punte elicoidali in metallo duro integrale

Optional ohne Aufpreis auch mit Weldon-Schaft (DIN 6535-HB) lieferbar. / Also available with Weldon-shank (DIN 6535-HB) without extra charge. / Anche disponibili con attacco Weldon (DIN 6535-HB) senza prezzo aggiuntivo. d1 ≥ 3,0 mm | d2 ≥ 6,0 mm.

Details zum Sonderanschiff: Siehe Kapitel „Technische Informationen“ / Details on the special point shape: See chapter „Technical information“ / Dettagli sulla affilatura speciale: Capitolo „Informazioni tecniche“